


READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Ceasefire 2G Insecticide

ACTIVE CONSTITUENT: 2 g/kg BIFENTHRIN

**For the Control of Certain Pests in Turf: Ants, Fleas and
Ticks in External Surrounds of Buildings and Structures**

Contents: 500 g - 5 kg



Turf Culture Pty Ltd
ACN: 117 986 615
43 Gap Rd
Sunbury Vic 3429
Ph: 1300 11 8873
(Ph: 1300 11 TURF)
www.turfculture.com.au

HOW TO USE

Restrictions

DO NOT apply inside buildings.

DO NOT apply within 2 m of water (ponds, drains etc.).

Crop	Pest	Rate grams / 10m ²	Rate Kg / 100m ²	Critical Comments
Turf (for example: lawns, commercial turf farms, parks, recreational areas, bowling greens, sports fields)	Lawn armyworm (<i>Spodoptera maurita</i>), Sod webworm (<i>Herpetogramma licarsialis</i>)	60	0.6	Broadcast Ceasefire 2G Insecticide with suitable equipment to ensure uniform coverage over the treated area. To ensure optimum control, irrigate the treated area with up to 4 mm of water immediately after application. Inspect treated areas for continuing activity. Re-apply as required. Where a rate range is indicated use lower rates under lower insect pressure and higher rates under higher insect pressure.
	Argentine Stem Weevil adults (<i>Listronotus bonariensis</i>)	60 - 120	0.6 – 1.2	
	African Black Beetle adults (<i>Heteronychus arator</i>)	120 - 180	1.2 – 1.8	
	Billbug adults (<i>Senophorus</i> sp)	60 - 120	0.6 – 1.2	
	Black ants, Coastal Brown ant, Funnel Ant, Sugar ant, Stinging ant only	60 - 220	0.6 – 2.2	Broadcast Ceasefire 2G Insecticide with suitable application equipment to ensure uniform coverage over the treatment area. Apply granules to areas where ants are active. Where possible apply granules directly to the nests. Use the low rate for maintenance treatments or to control light infestations and the high rate for heavy infestations and for maximum residual control. The elimination of Funnel ants from a particular site will generally require more than one application. Initial applications should be broadcast over the affected areas. As the initial numbers of active colonies is reduced, application should shift to targeting active mounds. Apply granules directly to the mound and in the area immediately surrounding active mounds (300 mm radius).

Crop	Pest	Rate grams / 10m ²	Rate Kg / 100m ²	Critical Comments
External surrounds of buildings and structures	Black ants, Coastal Brown ant, Funnel Ant, Sugar ant, Stinging ant only	60 - 220	0.6 – 2.2	Apply granules in areas where ants are active. Where possible apply granules directly to the nest. Use the low rate for maintenance treatments or to control light infestations. Use the higher rate for heavy infestations and for maximum residual control. PERIMETER APPLICATION: When perimeter pest control is being implemented apply Ceasefire 2G Insecticide in a 2 - 3 m band around and adjacent to the building or structure. PAD MOUNTED ELECTRICAL SITES: To reduce or prevent ant mound building activity on electrical pads, uniformly distribute 60 to 220 g of Ceasefire 2G Insecticide per 10 m ² of mounting pad. When existing transformers are completely or partially filled with soil excavated by resident ants, remove any excess fill and level the remaining soil prior to application.
	Fleas (Adult and larvae) (<i>Ctenocephalides spp.</i>)	110 - 220	1.1 – 2.2	Flea larvae develop in the soil of shaded areas that are accessible to pets or other animals. For optimum results irrigate the treated areas with up to 10 mm of water immediately after application. Use higher application rates when treating areas with dense ground cover or heavy leaf litter.
	Ticks (<i>Ixodes spp.</i>)	110 - 220	1.1 – 2.2	Applications should be made in spring to control larvae and nymphs that reside in the soil and leaf litter. DO NOT make spot applications. Treat the entire area where exposure to ticks may occur. Use higher application rate when treating areas with dense ground cover or heavy leaf litter. Ticks may be re-introduced from surrounding areas on host animals. Repeat as necessary to maintain adequate control.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

HOW TO PREPARE

Ceasefire 2G Insecticide is a convenient ready to use formulation for the control of the nominated pests.

For turf application use a granular spreader that can be calibrated for even output and is capable of giving even application. Use a double application technique, i.e. Half rate – half width to achieve a full rate application. Apply under calm conditions, thereby reducing drift to non-target areas and optimising particle distribution for good insect control.

Ceasefire 2G Insecticide can be used as a protective treatment when applied at regular intervals or as a knockdown treatment to control existing pests. Best results are obtained when Ceasefire 2G Insecticide is applied before pest populations build up to damaging levels.

PRECAUTIONS

DO NOT spread granules directly onto humans, pets, exposed food, food preparation areas or food utensils. Keep away from domestic pets, especially dogs. If dogs eat the granules, contact your veterinary surgeon immediately. Use with caution around pets – ensure product is well-dispersed, i.e. swept between pavers, cracks and crevices and dispersed into soil and lawn. DO NOT apply granules

directly into drains, sewers, streams or ponds. Poisonous to fish. DO NOT apply Ceasefire 2G Insecticide within 2 metres of a fishpond or water containing fish or aquatic species.

STORAGE AND DISPOSAL

Store in the closed, original container, in a dry cool, dry place out of reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID INSTRUCTIONS

If poisoning occurs, contact a doctor or Poisons Information Centre. *Telephone Australia 13 11 26.*

CONDITIONS OF SALE

The use of Ceasefire 2G Insecticide being beyond the control of the manufacturer, no warranty expressed or implied is given by Turf Culture Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Turf Culture Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.

APVMA Approval No.: 61005/115422HG

In a Transport Emergency Dial 000 Police or Fire Brigade

Batch No.:

Date of Manufacture: