INTERNATIONAL PRODUCT GUIDE

LANDSCAPE & ARCHITECTURAL LIGHTING

NELSON AUSTRALIA

FXLuminaire





TRANSFORMER



EX Transformer

EX-150-E-M

The EX provides an economical, low-wattage power and control option for LED lighting projects.

Height: 330 mm Width: 140 mm Depth: 127 mm Power: 150 W Finish: M

Primary Features

- 150 W
- Single 15 V output tap
- · Compact design
- · Powder-coated steel
- Compatible with most plug-in astronomical timers and photocells

 ϵ

UP LIGHTS

MU Up Light MU-LED20WFL-E-LS-FB



Height: 183 mm Long Shroud: 221 mm Diameter: 56 mm Lamp: MR-16 Finish: FB

Material: Aluminium



PB Wall Wash

BPB-1LED-E-FB

Featuring a wider angle, this compact, sturdy fixture provides soft illumination for washing low walls and backlighting small features.

Height: 152 mm Width: 98 mm Depth: 50 mm Lamp: Integrated LED

Finish: FB

Material: Brass or Aluminium

DOWN LIGHTS



JB Down Light JB-3LED-E-SS-FB

FX Luminaire's original down light solves the problem of changing lamps in complicated areas by providing long-life LEDs.

Length: 264 mm Diameter: 66 mm Lamp: Integrated LED Finish: FB

Material: Aluminium



(F) (E

Copper Perforated Sleeve

VE Pendant VE-1LED-E-FB VE-1LED-E-AB

When hung from architectural elements or trees, this elegant fixture softly illuminates areas from above

Height: 109 mm Diameter: 58 mm Lamp: Integrated LED Finish: FB, AB* Material: Aluminium or Copper/Brass

WALL LIGHTS

LF Ledge Light LF-1-LED-W-E-BS

This hardscape ledge light easily fits between a block wall and a capstone for a neat, clean installation.



Finish: BS

Material: Brass or Aluminium





PATH LIGHTS



TM Path Light TMLEDTA-FB A-1LED-18RA-FB

This aluminium path light features a stylish cap for unmatched elegance and function.

Height: 381 mm Diameter: 127 mm Lamp: Integrated LED

Finish: FB

Material: Aluminium



HC Path Light HC-LED-TA-FB P-1LED-12RA-FB

The petite and clean lines of the HC make it the perfect addition to any pathway.

Height: 368 mm Diameter: 92 mm Lamp: Integrated LED

Finish: FB

Material: Copper/Brass








JS Path Light JS-LED-TA-FB G-1LED-18RA-FB

Engineered for mid-sized landscapes, this striking fixture provides lighting for larger pathways while using less energy.

Height: 396 mm Diameter: 159 mm Lamp: Integrated LED

Finish: FB

Material: Copper / Brass



M-PJ Path Light M-PJ-1LED-E-FB

Add style and functionality to modern installations with this aluminium path light that stands up to the elements.

Height: 561 mm Width: 71 mm Depth: 187 mm Lamp: Integrated LED

Finish: FB

Material: Aluminium



M-PZ Path Light

M-PZ-1LED-FB

Engineered with highly durable die-cast aluminium, this versatile path light is a perfect addition to modern lighting designs.

Height: 561 mm Width: 64 mm Depth: 187 mm Lamp: Integrated LED Finish: FB







(Material: Aluminium

FINISHES

Controller/Transformer: Powder Coat Comes Standard



Matte Grey (Select transformers only)



AB on copper



AB on brass Antique Bronze Antique Bronze Natural Brass



BS



Metal

Stainless Steel

FΒ Black

Certifications



CE Certified All products are CE certified. See product details for requirements.



IP Rating Indicates water and dust

resistance.



Indicates accessory required for CE compliance. See product details.



LUXOR™ CONTROLLER



Luxor Controller LUX300-EU-SS LSAT-300-EU-SS

Our premium lighting control solution offers zoning, dimming, and colour creation capabilities, plus optional Wi-Fi control.

Height: 330 mm Width: 203 mm Depth: 160 mm Power: 300 W Finish: SS

Primary Features

- Zone control: Turn individual or groups of fixtures on and off at
- Dimming control: Adjust the intensities of individual or groups of fixtures from 0-100%.
- Colour control: Choose from 30,000 vibrant colours.
- Colour palette: Generate and save up to 250 custom colours.
- Scene/theme creation: Design up to 40 themes ranging from every-night living to holidays and special celebrations.
- Calendar-based programming: Ensure specific programs run only when needed with dedicated date-range programming.
- Smart home integration: Integrate and control Luxor with today's most popular smart home automation systems.



Wireless Control

LINK-MOD-E WIFIMOD2

Interact with the controller using iOS^{\otimes} or Android TM devices. Incorporate wireless control using the preinstalled LAN module.

LAM: Light Assignment Module LINK-MOD-E: Luxor Wireless Linking

Module

WIFIMOD2: Wi-Fi Module



LUXOR APP CONTROL

With the Luxor App, you can adjust fixture intensity and colour, create unique themes, and fine-tune your colour palette for special occasions — from anywhere!



Adjust intensity and colours of individual or groups of fixtures to fine-tune your lighting design.

Themes

Design one-of-a-kind holiday displays, create team spirit for the big game, or add company colours for corporate events.



Colour Creation

Create up to 30,000 colours using the latest RGBW LED technology.

Programming

Create custom lighting schedules for everyday living, holidays, and celebrations.













Visit fxl.com/luxor-android

UP LIGHTS



NP Up Light NP-ZDC-E-LS-FB NP-ZDC-E-FB

The highly versatile NP fixture is build to accommodate all aspects of your up lighting needs.

Height: 216 mm Long Shroud: 264 mm Diameter: 69 mm Lamp: Integrated LED

Finish: FB

Material: Aluminium



LC Wall Wash

The expansive spread of this robust fixture is perfect for lighting facades and canopies.

Height: 165 mm Width: 114 mm Depth: 76 mm Lamp: Integrated LED

Finish: FB Material: Brass or Aluminium





CE

DOWN LIGHTS





JB Down Light JB-ZDC-E-SS-FB

FX Luminaire's original down light solves the problem of changing lamps in complicated areas by providing long-life LEDs.

Length: 264 mm Diameter: 66 mm Lamp: Integrated LED

Finish: FR

Material: Aluminium



NL Wall Sconce NL-ZDC-UD-E-CR-FB

Featuring a geometric look, this unique wall-mounted fixture provides up and down lighting configurations in a single unit.

Height: 185 mm Width: 81 mm Depth: 84 mm **Lamp:** Integrated LED

Finish: FB

Material: Brass or Aluminium



WALL LIGHTS

LF Ledge Light LF-ZDC-E-BS

This hardscape ledge light easily fits between a block wall and a capstone for a neat, clean installation.



Height: 22 mm Lamp: Integrated LED Finish: BS



Material: Brass or Aluminium

PATH LIGHTS



CA Path Light CA-LED-TA-FB G-ZDC-18RA-FB

Simple and stylish, this attractive path light connects the contemporary world to the natural environment.

Height: 391 mm Diameter: 193 mm Lamp: Integrated LED Finish: FB

Material: Copper/Brass



PM Mini Bollard

PM-ZDC-E-FB

In this contemporary commercial bollard, a parabolic reflector, diffuser cone, and optics work together to produce long projection beam spread with no glare.

Height: 356 mm XT Height: 98 mm

Diameter: 64 mm Lamp: Integrated LED

Finish: FB

Material: Aluminium



FC In-Grade Light

FC-ZDC-E-RG-FB

The subterranean FC provides controlled, glare-free illumination for smaller-scale spaces.

Height: 122 mm Diameter: 102 mm Lamp: MR-16 Finish: FB

Material: Brass or Composite





(F) (E

LL Underwater Light LL-ZDC-E-BS

The highly versatile LL brings the efficiency and reliability of LED technology to underwater applications.

Height: 102 mm Diameter: 81 mm Lamp: Integrated LED

Finish: BS Material: Brass





BUSINESS TOOLS FOR PROFESSIONALS

FX Luminaire provides a wide range of resources to help you succeed. Gain the power to install with confidence, troubleshoot with ease, maximise energy savings, and sell with assurance.





My List



Use this simple yet powerful tool to plan installations, send your order directly to distributor branches, and add notes to specific projects. My List helps you customise unique proposals for every customer and streamline orders for your business.

Get started today at fxl.com/mylist.



Hunter University



Learn best practices for lighting specific spaces in any landscape.
This comprehensive, free online program guides you through the design

program guides you through the design process and shows you how to build a lighting portfolio.

Get started today at training.hunterindustries.com.



Luxor Demo Kit



Create an immersive, at-home experience for customers to showcase the unmatched quality of FX Luminaire's lighting products.

To order, **contact your Hunter/ FX Luminaire sales manager or ask your distributor.** Use order code FXPRO-026.

See complete details for our full line of CE-certified products at **fxl.com/ce**.

Demo Kit Includes

- ► 300 W Luxor Controller: LUX300EUM
- Four 12 m rolls of studded 2 mm wire (250011790001) with wire nuts
- ► Four NP Up Lights with ZDC Technology™
- ► Two LC Wall Wash fixtures with ZDC Technology
- ► Two RW Wall Wash/ Directional Path Lights with ZDC Technology
- Wireless Light Assignment Module (LAM)
- Luxor Wi-Fi Antenna (WIFIMOD2)

*All fixtures are powder-coated in orange or orange/black two-tone configurations.





With My Design, you can light up the night like never before.

The transformative Night Mode feature lets you design professional after-dark renderings with seamless control of fixture direction, light intensity, beam angle, and more. Use My Design to help your customers simplify the design process, increase sales, and grow their businesses.

To get started, simply snap a picture of any landscape, then turn on Night Mode to reveal the stunning effects of landscape lighting in your design. It's easy to create a professional proposal in just a few clicks using these robust tools:



- Add Light: Add default beam patterns to a fixture.
- Edit Light: Modify the lighting aspects applied to a fixture.
- Beam Adjustment: Rotate and adjust a single beam.
- Beam Spread: Select multiple fixtures and assign a custom beam spread.
- Beam Brightness: Set the intensity of the light.
- Select Fixtures: See which fixtures have beams and which require beams to be added. Select all with a single click.
- Fixture Icons: Turn off fixture icons and adjust size for more detail.
- Darkness: Increase or decrease the ambient light.

Use My Design to create elegant design proposals and unforgettable experiences that convert prospects into happy customers — all while streamlining the product ordering process and storing your data securely in the cloud for instant access whenever you need it.

Since My Design requires no technical expertise, it's simple enough for beginners, yet powerful enough for experts. Try it for yourself and close sales faster! My Design with Night Mode is available now. Scan to learn more!





A Hunter Industries Company

Our mission is to create the most energy-efficient lighting products in the world while maintaining the highest level of quality and reliability. In every instance we will back our innovations with the unwavering support our customers need to succeed.

Gregory R. Hunter, CEO of Hunter Industries

Gene Smith, President, Landscape Irrigation and Outdoor Lighting

Website fxl.com | Technical Service +1-760-591-7383

USA HEADQUARTERS

1940 Diamond Street San Marcos, CA 92078 USA T: +1-760-744-5240

AUSTRALIA

50 Lynch Street Hawthorn, VIC 3122, Australia T: +1-800-438-486



NELSON IRRIGATION CORPORATION OF AUSTRALIA PTY LTD

ABN 61064013001 WWW.NELSONIRRIGATION.CO.AU

 $in fo@nelson irrigation.com. au \quad | \quad customer service@nelson irrigation.com. au \quad | \quad accounts@nelson irrigation.com. accounts. a \quad | \quad accounts@nelson irrigation.com. accounts. A counts. A$ orders@nelsonirrigation.com.au | sales@nealsonirrigation.com.au

BRISBANE- HEAD OFFICE

20 Macadam Street Seventeen Mile Rocks QLD 4073, T: 1300-856-368 or (07) 3715-8555

1/14 Hydro Rise Bibra Lake WA 6163, Australia T: (08) 9434-9600

PERTH

MELBOURNE

6 Coral CCT Keyborough VIC 3173, Australia T: (03) 8789-6200